

# WaterMark Certification Scheme – Product Compliance Schedule



*Azma Khan*  
Azma Khan  
Managing Director CSI

**Company Legal Name:**  
**Company Trading Name:**  
**Address:**  
**WMTS – and/or applicable Standard/s:**  
**WaterMark licence numbers of separately certified integral components:**

Stormtech Pty Ltd  
Stormtech Pty Ltd  
22 Norfolk Ave South Nowra, NSW 2541 AUSTRALIA  
WMTS 040:2022 Waste pipe connection outlets and gratings, separate or integral  
Not Applicable

**ABN:** 88 101 205 556

*For details of the product manufacturer, contact the licence holder named above. This schedule supersedes any previously issued schedule.*

<b>CSI WM Licence Number:</b>	<b>21249</b>	<b>CSI Database ID Number:</b>	<b>1000336</b>
<b>Initial Certification Issue Date:</b>	24 <sup>th</sup> July 2009	<b>Current Certification Date:</b>	20 <sup>th</sup> February 2026
<b>Certification Expiry Date:</b>	20 <sup>th</sup> June 2029		
<b>CSI Certificate Number:</b>	CSI WM Lic No. 21249–2026–02-C1-R4		

This certificate is the property of CSI and must be returned to CSI upon its request. The certificate shall be read in conjunction with the accompanying, WaterMark – Certificate of Conformity. This WaterMark Product Compliance Schedule and associated Certificate of Conformity is issued by a JAS-ANZ accredited certification body. This certificate shall be reviewed annually.

### Scope of Use Statement:

Sanitary Waste

### Product Listing of Watermark Certified Products.

Model Identification	Model Name	Brand Name	Product Description
100AAG20	AA Linear Drain	STORMTECH	DN150 Floor Waste Channel Drain and Wave Grate (106Wx23Dmm) Anodised Aluminium Grate and PVC Waste Body Plain Spigot Outlet
100AAi20	AA Linear Drain	STORMTECH	DN150 Floor Waste Channel Drain and Grate (106Wx23Dmm) Anodised Aluminium Grate and #316 Stainless Steel Channel Plain Spigot Outlet
ALCF	Adjustable Leak Control Flange	STORMTECH	Adjustable Leak Control Flange Inlet DN50 DN80 DN100 Outlet DN80 DN100 DN150
100ARG20	ARG	STORMTECH	DN150 Floor Waste Channel Drain and Grate (100Wx20Dmm) Wedge Wire #316 Stainless Steel Grate PVC Waste Body Plain Spigot Outlet DN40 DN50 DN80 DN100
100ARG30	ARG	STORMTECH	DN150 Floor Waste Channel Drain and Grate (100Wx30Dmm) Wedge Wire #316 Stainless Steel Grate PVC Waste Body Plain Spigot Outlet DN40 DN50 DN80 DN100
38ARG	ARG	STORMTECH	DN100 Floor Waste Channel Drain and Grate (38Wx40Dmm) Wedge Wire #316 Stainless Steel Grate PVC Waste Body Plain Spigot Outlet DN40 DN50
65ARG25	ARG	STORMTECH	DN150 Floor Waste Channel Drain and Grate (65Wx25Dmm) Wedge Wire #316 Stainless Steel Grate PVC Waste Body Plain Spigot Outlet DN40 DN50
65ARG40	ARG	STORMTECH	DN150 Floor Waste Channel Drain and Grate (65Wx40Dmm) Wedge Wire #316 Stainless Steel Grate PVC Waste Body Plain Spigot Outlet DN40 DN50

The current validity of this document should be checked by contacting [admin@csi-certification.com](mailto:admin@csi-certification.com). The status of the WaterMark Licence should be checked online at the ABCB website. [www.abcb.gov.au](http://www.abcb.gov.au)

## WaterMark Certification Scheme – Product Compliance Schedule



*Azma Khan*  
Azma Khan  
Managing Director CSI

Model Identification	Model Name	Brand Name	Product Description
100ARi20	ARi	STORMTECH	DN150 Floor Waste Channel Drain and Grate (100Wx20Dxmm) Wedge Wire #316 Stainless Steel Grate and #316 Stainless Steel Waste Body Plain Spigot Outlet DN40 DN50 DN80 DN100
65ARi25	ARi	STORMTECH	DN150 Floor Waste Channel Drain and Grate (65Wx25Dmm) Wedge Wire #316 Stainless Steel Grate and #316 Stainless Steel Waste Body Plain Spigot Outlet DN40 DN50
65ARi40	ARi	STORMTECH	DN150 Floor Waste Channel Drain and Grate (65Wx40Dmm) Wedge Wire #316 Stainless Steel Grate and #316 Stainless Steel Waste Body Plain Spigot Outlet DN40 DN50
100ARiCO20	ARiC	STORMTECH	DN150 Floor Waste Channel Drain and Grate (100Wx20Dmm) Wedge Wire #316 Stainless Steel Grate and #316 Stainless Steel Waste Body Plain Spigot Outlet DN40 DN50 DN80 DN100
65ARiC25	ARiC	STORMTECH	DN150 Floor Waste Channel Drain and Grate (65Wx25Dmm) Wedge Wire #316 Stainless Steel Grate and #316 Stainless Steel Waste Body Plain Spigot Outlet DN40 DN50
65ARiC40	ARiC	STORMTECH	DN150 Floor Waste Channel Drain and Grate (65Wx40Dmm) Wedge Wire #316 Stainless Steel Grate and #316 Stainless Steel Waste Body Plain Spigot Outlet DN40 DN50
100ARTDI	ARTDI	STORMTECH	DN150 Floor Waste Channel Drain and Grate (100WxCUSTOMDmm) #316 Stainless Steel Wedge Wire Grate and #316 Stainless Steel Waste Body Plain Spigot Outlet for Door Sill Applications DN40 DN50 DN65 DN80 DN100
65ARTDI	ARTDI	STORMTECH	DN150 Floor Waste Channel Drain and Grate (65WxCUSTOMDmm) #316 Stainless Steel Wedge Wire Grate and #316 Stainless Steel Waste Body Plain Spigot Outlet for Doorsill Applications DN40 DN50 DN65 DN80
90AE20	Lux Oval	KADO	DN150 Floor Waste Channel Drain and Grate (90Wx24Dxmm) #316 Stainless Steel Slot Perforated Grate and #316 Stainless Steel Waste Body Plain Spigot Outlet DN50 DN80
90SB20	Lux Square	KADO	DN150 Floor Waste Channel Drain and Grate (90Wx24Dxmm) #316 Stainless Steel Square Perforated Grate and #316 Stainless Steel Waste Body Plain Spigot Outlet DN50 DN80
SQ150CR	CR	STORMTECH	DN150 #316 Stainless Steel Waste and Welded Grate Plain Spigot Outlet DN50 DN80 DN100

The current validity of this document should be checked by contacting [admin@csi-certification.com](mailto:admin@csi-certification.com). The status of the WaterMark Licence should be checked online at the ABCB website. [www.abcb.gov.au](http://www.abcb.gov.au)

## WaterMark Certification Scheme – Product Compliance Schedule



Model Identification	Model Name	Brand Name	Product Description
SQ200CR	CR	STORMTECH	DN200 #316 Stainless Steel Waste and Welded Gate Plain Spigot Outlet DN50 DN80 DN100
90AS20	Lux	KADO	DN150 Floor Waste Channel Drain and Grate (90Wx24Dxmm) #316 Stainless Steel Slot Perforated Grate and #316 Stainless Steel Waste Body Plain Spigot Outlet DN50 DN80
90Ti30	Lux Ti	KADO	DN150 Floor Waste Channel Drain and Grate (90Wx30Dxmm) #316 Stainless Steel Tile Insert Grate and #316 Stainless Steel Waste Body Plain Spigot Outlet DN50 DN80
65MNDG25	MNDG	STORMTECH	DN150 Floor Waste Channel Drain and Grate (65Wx25Dmm) #316 Stainless Steel Tessellated Pattern Grate and PVC Waste Body Plain Spigot Outlet DN40 DN50
65MNDi25	MNDi	STORMTECH	DN150 Floor Waste Channel Drain and Grate (65Wx25Dmm) #316 Stainless Steel Tessellated Pattern Grate and #316 Stainless Steel Waste Body Plain Spigot Outlet DN40 DN50
CusMTS	MTS	STORMTECH	Floor Waste Channel Drain and Grate Customised (38 to 600mmWx15mm min D) #304/316 Stainless Steel Wedge Wire Punched Solid or Tile Insert Grate and #316 Stainless Steel Waste Body Plain Spigot Outlet (DN40 to DN 150) Variable Length
Custom	MTS	STORMTECH	Floor Waste Channel Drain and Grate Customised (38 to 600mmWx20mm min D) #304/316 Stainless Steel Wedge Wire Punched Solid or Tile Insert Grate and #316 Stainless Steel Waste Body Plain Spigot Outlet (DN40 to DN 150) Variable Length
38PHG	PHG	STORMTECH	DN100 Floor Waste Channel Drain and Grate (38Wx40Dxmm) #316 Stainless Steel Circular Hole Punched Grate PVC Waste Body Plain Spigot Outlet DN40 or DN50
65PHG25	PHG	STORMTECH	DN150 Floor Waste Channel Drain and Grate (65Wx25Dmm) #316 Stainless Steel Circular Hole Punched Grate PVC Waste Body Plain Spigot Outlet DN40 DN50
65PHG40	PHG	STORMTECH	DN150 Floor Waste Channel Drain and Grate (65Wx40Dmm) #316 Stainless Steel Circular Hole Punched Grate PVC Waste Body Plain Spigot Outlet DN40 DN50
65PHi25	PHi	STORMTECH	DN150 Floor Waste Channel Drain and Grate (65Wx25Dmm) #316 Stainless Steel Circular Hole Punched Grate and #316 Stainless Steel Waste Body Plain Spigot Outlet DN40 DN50

The current validity of this document should be checked by contacting [admin@csi-certification.com](mailto:admin@csi-certification.com). The status of the WaterMark Licence should be checked online at the ABCB website. [www.abcb.gov.au](http://www.abcb.gov.au)

## WaterMark Certification Scheme – Product Compliance Schedule



Model Identification	Model Name	Brand Name	Product Description
65PHi40	PHi	STORMTECH	DN150 Floor Waste Channel Drain and Grate (65Wx40Dmm) #316 Stainless Steel Circular Hole Punched Grate and #316 Stainless Steel Waste Body Plain Spigot Outlet DN40 DN50
100PSG20	PSG	STORMTECH	DN150 Floor Waste Channel Drain and Grate (100Wx20Dmm) #316 Stainless Steel Punched Grate PVC Waste Body Plain Spigot Outlet DN40 DN50 DN80 DN100
38PSG	PSG	STORMTECH	DN100 Floor Waste Channel Drain and Grate (38Wx40Dmm) #316 Stainless Steel Slot Perforated Grate PVC Waste Body Plain Spigot Outlet DN40 DN50
65PSG25	PSG	STORMTECH	DN150 Floor Waste Channel Drain and Grate (65Wx25Dmm) #316 Stainless Steel Slot Perforated Grate PVC Waste Body Plain Spigot Outlet DN40 DN50
65PSG40	PSG	STORMTECH	DN150 Floor Waste Channel Drain and Grate (65Wx40Dmm) #316 Stainless Steel Slot Perforated Grate PVC Waste Body Plain Spigot Outlet DN40 DN50
100PSi20	PSi	STORMTECH	DN150 Floor Waste Channel Drain and Grate (100Wx20Dmm) #316 Stainless Steel Punched Grate and #316 Stainless Steel Waste Body Plain Spigot Outlet DN40 DN50 DN80 DN100
65PSi25	PSi	STORMTECH	DN150 Floor Waste Channel Drain and Grate (65Wx25Dmm) #316 Stainless Steel Slot Perforated Grate and #316 Stainless Steel Waste Body Plain Spigot Outlet DN40 DN50
65PSi40	PSi	STORMTECH	DN150 Floor Waste Channel Drain and Grate (65Wx40Dmm) #316 Stainless Steel Slot Perforated Grate and #316 Stainless Steel Waste Body Plain Spigot Outlet DN40 DN50
25SDIF	SDIF	STORMTECH	DN80 Floor Waste Channel Drain and Grate (25Wx40Dmm) Wedge Wire #316 Stainless Steel Grate and #316 Stainless Steel Waste Body Plain Spigot Outlet DN40 DN50 DN65 DN80 DN100
120SCSARiMTL	Shower Screen Support	STORMTECH	DN150 Floor Waste Channel Drain and Architectural Wedgewire Grate (120Wx20Dmm) 316 Stainless Steel Waste Body with Integral Shower Screen Support Plain Spigot Outlet
120SCSMNDiMTL	Shower Screen Support	STORMTECH	DN150 Floor Waste Channel Drain and Marc Newson Designed Grate (120Wx20Dmm) 316 Stainless Steel Waste Body with Integral Shower Screen Support Plain Spigot Outlet
120SCSPPSiMTL	Shower Screen Support	STORMTECH	DN150 Floor Waste Channel Drain and Punched Perpendicular Slot Grate (120Wx20Dmm) 316 Stainless Steel Waste Body with Integral Shower Screen Support Plain Spigot Outlet

The current validity of this document should be checked by contacting [admin@csi-certification.com](mailto:admin@csi-certification.com). The status of the WaterMark Licence should be checked online at the ABCB website. [www.abcb.gov.au](http://www.abcb.gov.au)

## WaterMark Certification Scheme – Product Compliance Schedule



Model Identification	Model Name	Brand Name	Product Description
120SCSPSiMTL	Shower Screen Support	STORMTECH	DN150 Floor Waste Channel Drain and Punched Slot Grate (120Wx20Dmm) 316 Stainless Steel Waste Body with Integral Shower Screen Support Plain Spigot Outlet
120SCSTiiMTL	Shower Screen Support	STORMTECH	DN150 Floor Waste Channel Drain and Tile Insert Grate (120Wx20Dmm) 316 Stainless Steel Waste Body with Integral Shower Screen Support Plain Spigot Outlet
120SCSTiXiMTL	Shower Screen Support	STORMTECH	DN150 Floor Waste Channel Drain and Single Slot Grate (120Wx20Dmm) 316 Stainless Steel Waste Body with Integral Shower Screen Support Plain Spigot Outlet
120SCSTRiMTL	Shower Screen Support	STORMTECH	DN150 Floor Waste Channel Drain and Standard Wedgewire Grate (120Wx20Dmm) 316 Stainless Steel Waste Body with Integral Shower Screen Support Plain Spigot Outlet
SQ100AR	SQ	STORMTECH	DN100 #316 Stainless Steel Waste and Wedge Wire Grate Plain Spigot Outlet DN50 DN80 DN100
SQ100PS	SQ	STORMTECH	105x105mm x DN100 #316 Stainless Steel Waste and Punched Grate Plain Spigot Outlet DN50 DN80 DN100
SQ100Ti	SQ	STORMTECH	DN100 #316 Stainless Steel Waste and Tile Insert Grate Plain Spigot Outlet DN50 DN80 DN100
SQ100TiCL	SQ	STORMTECH	DN100 #316 Stainless Steel Waste and Cleanout Grate Plain Spigot Outlet DN100
SQ100TR	SQ	STORMTECH	105x105mm x DN100 #316 Stainless Steel Waste and Wedgewire Grate Plain Spigot Outlet DN50 DN80 DN100
SQ170	SQ	STORMTECH	170x170mm #316 Stainless Steel Square Tile Insert Floor Waste Grate and Surround
100Ti20	Ti	STORMTECH	DN100 Floor Waste Channel Drain and Grate (100Wx20Dmm) #316 Stainless Steel Tile Insert Grate and #316 Stainless Steel Waste Body Plain Spigot Outlet DN40 DN50 DN65 DN80 DN100
100TiG20	Ti	STORMTECH	DN100 Floor Waste Channel Drain and Grate (100Wx20Dmm) #316 Stainless Steel Tile Insert Grate and PVC Waste Body Plain Spigot Outlet DN40 DN50 DN65 DN80 DN100
100Ti30MTL	Ti	STORMTECH	DN150 Floor Waste Channel Drain and Grate (100Wx30Dxmm) #316 Stainless Steel Tile Insert Grate and #316 Stainless Steel Waste Body Plain Spigot Outlet DN40 DN50 DN65 DN80 DN100
100Ti40	Ti	STORMTECH	DN150 Floor Waste Channel Drain and Grate (100Wx40Dmm) #316 Stainless Steel Tile Insert Grate and #316 Stainless Steel Waste Body Plain Spigot Outlet DN40 DN50 DN65 DN80 DN100
65TiG40	Ti	STORMTECH	DN150 Floor Waste Channel Drain and Grate (65Wx40Dmm) #316 Stainless Steel Tile Insert Grate PVC Waste Body Plain Spigot Outlet DN40 DN50

The current validity of this document should be checked by contacting [admin@csi-certification.com](mailto:admin@csi-certification.com). The status of the WaterMark Licence should be checked online at the ABCB website. [www.abcb.gov.au](http://www.abcb.gov.au)

## WaterMark Certification Scheme – Product Compliance Schedule



Model Identification	Model Name	Brand Name	Product Description
65Ti25	Ti	STORMTECH	DN150 Floor Waste Channel Drain and Grate (65Wx25Dmm) #316 Stainless Steel Tile Insert Grate and #316 Stainless Steel Waste Body Plain Spigot Outlet DN40 DN50
65Ti30MTL	Ti	STORMTECH	DN150 Floor Waste Channel Drain and Grate (65Wx30Dmm) #316 Stainless Steel Tile Insert Grate and #316 Stainless Steel Waste Body Plain Spigot Outlet DN40 DN50
65Ti40	Ti	STORMTECH	DN150 Floor Waste Channel Drain and Grate (65Wx40Dmm) #316 Stainless Steel Tile Insert Grate and #316 Stainless Steel Waste Body Plain Spigot Outlet DN40 DN50
65TiG25	TiG	STORMTECH	DN150 Floor Waste Channel Drain and Grate (65Wx25Dmm) #316 Stainless Steel Tile Insert Grate PVC Waste Body Plain Spigot Outlet DN40 DN50
100TiTDi	TiTDi	STORMTECH	DN150 Floor Waste Channel Drain and Grate (100WxCustDmm) #316 Stainless Steel Tile Insert Grate and #316 Stainless Steel Waste Body Plain Spigot Outlet for Door Sill Applications DN40 DN50 DN65 DN80 DN100
65TiTDi	TiTDi	STORMTECH	DN150 Floor Waste Channel Drain and Grate (65WxCustDmm) #316 Stainless Steel Tile Insert Grate and #316 Stainless Steel Waste Body Plain Spigot Outlet for Door Sill Applications DN40 DN50
100TRG20	TR	STORMTECH	DN150 Floor Waste Channel Drain and Grate (100Wx20Dmm) #316 Stainless Steel Wedge Wire Grate PVC Waste Body Plain Spigot Outlet DN40 DN50 DN80 DN100
100TRi20	TR	STORMTECH	DN150 Floor Waste Channel Drain and Grate (100Wx20Dmm) #316 Stainless Steel Welded Grate #316 Stainless steel Waste Body Plain Spigot Outlet DN40 DN50 DN65 DN80 DN100
65TRG25	TR	STORMTECH	DN150 Floor Waste Channel Drain and Grate (65Wx25Dmm) #316 Stainless Steel Wedge Wire Grate PVC Waste Body Plain Spigot Outlet DN40 DN50
65TRi25	TR	STORMTECH	DN150 Floor Waste Channel Drain and Grate (65Wx25Dmm) #316 Stainless Steel Slot Welded Grate #316 Stainless Steel Waste Body Plain Spigot Outlet DN40 DN50
VC100-25	VC	STORMTECH	DN150 Floor Waste Channel Drain and Grate (100Wx25Dmm) #316 Stainless Steel Wedge Wire Grate and #316 Stainless Steel Waste Body Plain Spigot Outlet for Vinyl Floor Applications DN40 DN50 DN65 DN80 DN100

The current validity of this document should be checked by contacting [admin@csi-certification.com](mailto:admin@csi-certification.com). The status of the WaterMark Licence should be checked online at the ABCB website. [www.abcb.gov.au](http://www.abcb.gov.au)

## WaterMark Certification Scheme – Product Compliance Schedule



*Azma Khan*  
Azma Khan  
Managing Director CSI

Model Identification	Model Name	Brand Name	Product Description
VC100-45	VC	STORMTECH	DN150 Floor Waste Channel Drain and Grate (100Wx45Dmm) #316 Stainless Steel Wedge Wire Grate and #316 Stainless Steel Waste Body Plain Spigot Outlet for Vinyl Floor Applications DN40 DN50
VC155-42	VC	STORMTECH	DN150 Floor Waste Channel Drain and Grate (155Wx45Dmm) #316 Stainless Steel Wedge Wire Grate and #316 Stainless Steel Waste Body Plain Spigot Outlet for Vinyl Floor Applications DN40 DN50 DN65 DN80 DN100
100TiXi20MTL	Ti	STORMTECH	DN100 Floor Waste Channel Drain and Grate (100Wx23Dmm) #316 Stainless Steel Tile Insert Grate Single Slot and #316 Stainless Steel Waste Body Plain Spigot Outlet DN80 DN100
<b>100Flex</b>	<b>Flexi Floor Flange</b>	<b>STORMTECH</b>	<b>DN100 Flexible Floor Waste Drainage Flange (Flexible PVC Bodied)</b>

The current validity of this document should be checked by contacting [admin@csi-certification.com](mailto:admin@csi-certification.com). The status of the WaterMark Licence should be checked online at the ABCB website. [www.abcb.gov.au](http://www.abcb.gov.au)